

## **3 SPECIFICATIONS**

### 3.1 SPECIFICATIONS FOR SHIRTING & TROUSER MATERIALS

The bidder should indicate whether the required specifications are met by them by marking (Yes) if it meets the requirements/comply and (No) if it is not, in front of following each requirement/specification in the right-hand corner of each item in compliance. Variations and/or deviations from specification, if any, should be illustrated clearly in detail.

#### SPECIFICATIONS FOR SHIRTING MATERIALS

Parameters	Requirements	Test method	Compliance (Yes/No) to be filled by bidder
Fabric composition - %	65% $\pm$ 3% Polyester 35% $\pm$ 3% Cotton	ISO 1833:2006/2007	
Fabric width	45 Inches	Visual	
Color	As per sample attached with the bid document	Visual	
Fabric visual defects	Free from major flaws	Visual	

**\*\*Sample (for color matching) could be collected from CPSTL)**

#### SPECIFICATIONS FOR TROUSER MATERIALS

Parameters	Requirements	Test method	Compliance (Yes/No) to be filled by bidder
Fabric composition - %	65% $\pm$ 3% Polyester 35% $\pm$ 3% Cotton	ISO 1833:2006/2007	
Fabric width	60 Inches	Visual	
Colour	As per sample attached with the bid document	Visual	
Fabric visual defects	Free from major flaws	Visual	

**\*\*Sample (for colour matching) could be collected from CPSTL)**

### 3.2 PACKING INSTRUCTIONS

ITEM	COLOUR	Total Qty. (Mtrs.)	PACKING
SHIRTING MATERIALS 45" width	BEIGE	715	110 packs in 6.5-meter length
	LIGHT BLUE	1,828.5	249 packs in 6.5-meter length 28 packs in 7.5-meter length
	WHITE	1,748.5	269 packs in 6.5-meter length
TROUSER MATERIALS 60" width	BLACK	4,437	986 packs in 4.5-meter length
	DARK BROWN	481.5	107 packs in 4.5-meter length
	GREY	18	4 packs in 4.5-meter length
	WHITE	292.5	65 packs in 4.5-meter length
	DARK BLUE	58.5	13 packs in 4.5-meter length

**\*\*Note: Each piece of material should be packed in a polythene bag**

DRAFT